

**ULTRASIL SPRAY**

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture  
ULTRASIL SPRAY  
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
mixture's intended use  
Special assembly spray.  
Disapproved uses of mixture  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name  
AEROTEC GROUP a.s.  
Address  
U Kříže 632/24, Praha 5 Jinonice, 158 00  
Czech Republic  
Identification number (ID)  
05121311  
Phone  
+420 605 050 050  
E-mail  
info@aerotec.cz
- Competent person responsible for the safety data sheet**  
Name  
AEROTEC GROUP a.s.  
E-mail  
info@aerotec.cz
- 1.4. Emergency telephone number**  
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals

**SECTION 2: Hazards identification****2.1. Substance or mixture classification****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Asp. Tox. 1, H304  
Skin Irrit. 2, H315  
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

May be fatal if swallowed and enters airways. Causes skin irritation. Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Hazard pictogram****Signal word**

Danger

**Hazardous substances**

Naphtha (petroleum), hydrotreated light

**Hazard statements**

|      |  |
|------|--|
| H222 | Extremely flammable aerosol.                       |
| H229 | Pressurised container: May burst if heated.        |
| H315 | Causes skin irritation.                            |
| H412 | Harmful to aquatic life with long lasting effects. |

## ULTRASIL SPRAY

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 |         |     |
| Revision date | 02. May 2018     | Version | 2.0 |

**Precautionary statements**

|           |  |
|-----------|--|
| P102      | Keep out of reach of children.   |
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                 |
| P251      | Do not pierce or burn, even after use.   |
| P301+P310 | IF SWALLOWED: Immediately call a.  |
| P331      | Do NOT induce vomiting.  |
| P410+P412 | Protect from sunlight. Do no expose to temperatures exceeding.   |
| P501      | Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier. |

**Supplemental information**

**EUH 208** Contains polysulfides, di-tert-Bu, reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched, benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.

**2.3. Other hazards**

Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances specified below and additives.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

| Identification numbers                                    | Substance name  | Content in % weight | Classification according to Regulation (EC) No 1272/2008   | Note. |
|---|---|---------------------|--|-------|
| Index: 649-328-00-1<br>CAS: 64742-49-0<br>EC: 265-151-9   | Naphtha (petroleum), hydrotreated light   | 1-10                | Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411 | 1, 3  |
| CAS: 68937-96-2<br>EC: 273-103-3                          | polysulfides, di-tert-Bu  | <1                  | Skin Sens. 1, H317<br>Aquatic Chronic 3, H412  |       |
| EC: 931-384-6<br>Registration number:<br>01-2119493620-38 | reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched | <1                  | Acute Tox. 4, H302<br>Skin Sens. 1, H317<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411                      | 2     |
| EC: 939-603-7<br>Registration number:<br>01-2119978241-36 | benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts  | <1                  | Skin Sens. 1, H317   | 2     |

**Notes**

- 1 Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- 2 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.
- 3 Fulfilled Note P

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this Safety Data Sheet.

**ULTRASIL SPRAY**

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

**Inhalation**

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

**Skin contact**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**Eye contact**

Rinse the eyes immediately with a flow of running water, open the eyelids wide (also using force if needed); remove contact lenses immediately if worn by the person. Rinsing should continue at least for 10 minutes. In case of problems seek for medical, professional treatment if possible.

**Ingestion**

DO NOT INDUCE VOMITING. Provide medical treatment.

**4.2. Most important symptoms and effects, both acute and delayed****Inhalation**

May be fatal if swallowed and enters airways.

**Skin contact**

Causes skin irritation.

**Eye contact**

not available

**Ingestion**

May be fatal if swallowed and enters airways.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

foam, carbon dioxide, multi-purpose dry powder, water mist

**Unsuitable extinguishing media**

water - full jet

**5.2. Special hazards arising from the substance or mixture**

Fire produces heavy, black smoke, with potential development of carbon monoxide and dioxide and other toxic gases (e.g. hydrocarbons). Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Wear personal protective equipment. Follow the instructions in Sections 7 and 8.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

**6.3. Methods and material for containment and cleaning up**

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per Section 13. Collected material should be disposed of in accordance with locally valid regulations. Upon an escape of large quantities of the product, inform the Fire Department and the Environmental Department of the Municipal Authority with extended scope of competencies. After removal of the product, wash the contaminated site with plenty of water or another suitable cleaning material.

**6.4. Reference to other sections**

7, 8 and 13.

## ULTRASIL SPRAY

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 |         |     |
| Revision date | 02. May 2018     | Version | 2.0 |

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in areas where it is not in contact with open fire and other ignition sources. Don't smoke. Protect against direct sunlight. Electrostatic charge may be formed during use; use only earthed piping (tubing) when repumping. Use of antistatic clothes and footwear is recommended. Use non-sparking tools. Do not inhale gases and vapours. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep away from sources of ignition and heat. Store along with food, beverages and animal feed.

Packaging type iron, steel  
 Storage temperature <40 °C

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

none

#### DNEL

reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched

| Workers / consumers | Route of exposure | Value                  | Effect                | Determining method |
|---------------------|-------------------|------------------------|-----------------------|--------------------|
| Workers             | Dermal            | 12.5 mg/kg             | Local chronic effects |                    |
| Consumers           | Dermal            | 6.25 mg/kg             | Local chronic effects |                    |
| Workers             | Inhalation        | 8.56 mg/m <sup>3</sup> | Local chronic effects |                    |
| Consumers           | Inhalation        | 2.2 mg/m <sup>3</sup>  | Local chronic effects |                    |
| Consumers           | Oral              | 0.25 mg/kg/24hour      | Local chronic effects |                    |

#### PNEC

reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched

| Route of exposure      | Value        | Determining method |
|------------------------|--------------|--------------------|
| Freshwater environment | 0.0012 mg/l  |                    |
| Seawater               | 0.00012 mg/l |                    |
| Freshwater sediment    | 3.13 mg/kg   |                    |
| Sea sediments          | 0.313 mg/kg  |                    |
| Soil (agricultural)    | 2.54 mg/kg   |                    |

#### 8.2. Exposure controls

Follow usual measures for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

Protective goggles or face shield.

##### Skin protection

Hand protection: Protective gloves resistant against the product, suitable material: nitrile rubber, neoprene. Observe recommendations of the particular manufacturer of the gloves in the choice of their appropriate thickness, material and permeability. Other protection: Protective clothing. Contaminated skin should be washed thoroughly.

**ULTRASIL SPRAY**

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

**Respiratory protection**

Mask with a filter type A against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of toxic substances are exceeded or in a poorly ventilated environment.

**Thermal hazard**

not available

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|  |                           |
|--|---------------------------|
| Appearance                                   |                           |
| Physical state                               | liquid at 20°C            |
| color  | yellowish                 |
| Odour  | characteristic, petroleum |
| Odour threshold                              | data not available        |
| pH   | data not available        |
| Melting point/freezing point                 | <-12 °C                   |
| Initial boiling point and boiling range      | data not available        |
| Flash point                                  | <0 °C                     |
| Evaporation rate                             | data not available        |
| Flammability (solid, gas)                    | data not available        |
| Upper/lower flammability or explosive limits |                           |
| flammability limits                          | data not available        |
| explosive limits                             |                           |
| bottom                                       | 1.5 %                     |
| upper  | 9 %                       |
| Vapour pressure                              | <10 Pa                    |
| Vapour density                               | data not available        |
| Relative density                             | data not available        |
| Solubility(ies)                              |                           |
| solubility in water                          | insoluble                 |
| solubility in fats                           | data not available        |
| Partition coefficient: n-octanol/water       | data not available        |
| Auto-ignition temperature                    | data not available        |
| Decomposition temperature                    | data not available        |
| Viscosity                                    | data not available        |
| Explosive properties                         | data not available        |
| Oxidising properties                         | data not available        |

**9.2. Other information**

|                      |                    |
|----------------------|--------------------|
| Density              | data not available |
| ignition temperature | data not available |

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

The product is stable under normal conditions. When exposed to high temperatures there is a risk of explosion. Fumes can combine with air to form an explosive mixture.

**ULTRASIL SPRAY**

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

**10.4. Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and electrostatic charge.

**10.5. Incompatible materials**

Keep away from strong acids, strong oxidants, combustible materials.

**10.6. Hazardous decomposition products**

Not developed under normal uses. Dangerous products are formed at high temperature and in fire, such as carbon monoxide and carbon dioxide, hydrocarbons.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

**Acute toxicity**

May be fatal if swallowed and enters airways.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Based on available data the classification criteria are not met.

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Harmful to aquatic life with long lasting effects.

polysulfides, di-tert-Bu

| Parameter        | Method   | Value      | Time of exposure | Species                 | Environment |
|------------------|----------|------------|------------------|-------------------------|-------------|
| LC <sub>50</sub> | OECD 203 | 0.088 mg/l | 96 hour          | Fishes                  |             |
| EC <sub>50</sub> | OECD 202 | 0.24 mg/l  | 48 hour          | Daphnia (Daphnia magna) |             |

## ULTRASIL SPRAY

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

polysulfides, di-tert-Bu

| Parameter        | Method   | Value     | Time of exposure | Species                 | Environment |
|------------------|----------|-----------|------------------|-------------------------|-------------|
| EC <sub>50</sub> | OECD 201 | 2.45 mg/l | 72 hour          | Other aquatic organisms |             |

### 12.2. Persistence and degradability

#### Biodegradability

polysulfides, di-tert-Bu

| Parameter | Value | Time of exposure | Environment | Result |
|-----------|-------|------------------|-------------|--------|
|           | 13 %  |                  |             |        |

not available

### 12.3. Bioaccumulative potential

not available

### 12.4. Mobility in soil

polysulfides, di-tert-Bu

| Parameter | Method   | Value | Environment | Surrounding temperature |
|-----------|----------|-------|-------------|-------------------------|
| Log Koc   | OECD 121 | 8.5   |             |                         |

not available

### 12.5. Results of PBT and vPvB assessment

The product is not classified as PBT or vPvB.

### 12.6. Other adverse effects

not available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to an authorised person for waste removal (specialized company) authorised for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling. Hazard of environmental contamination; remove waste in accordance with local and/or national regulations.

#### Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

#### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

15 01 11 metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

## SECTION 14: Transport information

### 14.1. UN number

UN 1950

### 14.2. UN proper shipping name

AEROSOLS

### 14.3. Transport hazard class(es)

2 Gases

## ULTRASIL SPRAY

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

**14.4. Packing group**

not available

**14.5. Environmental hazards**

not available

**14.6. Special precautions for user**

Reference in Sections 4 to 8.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not available

**Additional information**

|                           |   |               |
|---------------------------|---|---------------|
| Hazard identification No. |  | (Kemler Code) |
| UN number                 |  |               |
| Classification code       | 5F  |               |
| Safety signs              | 2.1   |               |


**Marine transport - IMDG**

|                      |          |
|----------------------|----------|
| EmS (emergency plan) | F-D, S-U |
| MFAG                 | 620      |

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Decree No. 80/2014 Coll., amending the Decree No. 194/2001 Coll., laying down technical requirements for aerosol sprays as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information**
**A list of standard risk phrases used in the safety data sheet**

|      |  |
|------|--|
| H222 | Extremely flammable aerosol.                       |
| H225 | Highly flammable liquid and vapour.                |
| H229 | Pressurised container: May burst if heated.        |
| H302 | Harmful if swallowed.                              |
| H304 | May be fatal if swallowed and enters airways.      |
| H315 | Causes skin irritation.                            |
| H317 | May cause an allergic skin reaction.               |
| H318 | Causes serious eye damage.                         |
| H336 | May cause drowsiness or dizziness.                 |
| H411 | Toxic to aquatic life with long lasting effects.   |
| H412 | Harmful to aquatic life with long lasting effects. |

**Guidelines for safe handling used in the safety data sheet**

|      |                                |
|------|--------------------------------|
| P102 | Keep out of reach of children. |
|------|--------------------------------|



## ULTRASIL SPRAY

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 |         |     |
| Revision date | 02. May 2018     | Version | 2.0 |

|           |  |
|-----------|--|
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                 |
| P251      | Do not pierce or burn, even after use.   |
| P301+P310 | IF SWALLOWED: Immediately call a.  |
| P331      | Do NOT induce vomiting.  |
| P410+P412 | Protect from sunlight. Do no expose to temperatures exceeding.   |
| P501      | Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier. |

**A list of additional standard phrases used in the safety data sheet**

|         |  |
|---------|--|
| EUH 208 | Contains polysulfides, di-tert-Bu, reaction products of bis(4-methylpentan-2-yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched, benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction. |
|---------|--|

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

|                     |   |
|---------------------|---|
| ADR                 | European agreement concerning the international carriage of dangerous goods by road               |
| BCF                 | Bioconcentration Factor   |
| CAS                 | Chemical Abstracts Service  |
| CLP                 | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| DNEL                | Derived no-effect level   |
| EC                  | Identification code for each substance listed in EINECS   |
| EC <sub>50</sub>    | Concentration of a substance when it is affected 50% of the population                            |
| EINECS              | European Inventory of Existing Commercial Chemical Substances                                     |
| EmS                 | Emergency plan  |
| EU                  | European Union  |
| IATA                | International Air Transport Association   |
| IBC                 | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals       |
| IC <sub>50</sub>    | Concentration causing 50% blockade  |
| ICAO                | International Civil Aviation Organization   |
| IMDG                | International Maritime Dangerous Goods  |
| INCI                | International Nomenclature of Cosmetic Ingredients  |
| ISO                 | International Organization for Standardization  |
| IUPAC               | International Union of Pure and Applied Chemistry   |
| LC <sub>50</sub>    | Lethal concentration of a substance in which it can be expected death of 50% of the population    |
| LD <sub>50</sub>    | Lethal dose of a substance in which it can be expected death of 50% of the population             |
| LOAEC               | Lowest observed adverse effect concentration  |
| LOAEL               | Lowest observed adverse effect level  |
| log K <sub>ow</sub> | Octanol-water partition coefficient   |
| MARPOL              | International Convention for the Prevention of Pollution From Ships                               |
| NOAEC               | No observed adverse effect concentration  |
| NOAEL               | No observed adverse effect level  |
| NOEC                | No observed effect concentration  |
| NOEL                | No observed effect level  |
| OEL                 | Occupational Exposure Limits  |
| PBT                 | Persistent, Bioaccumulative and Toxic   |
| PNEC                | Predicted no-effect concentration   |
| ppm                 | Parts per million   |
| REACH               | Registration, Evaluation, Authorisation and Restriction of Chemicals                              |
| RID                 | Agreement on the transport of dangerous goods by rail   |
| UN                  | Four-figure identification number of the substance or article taken from the UN Model Regulations |

**ULTRASIL SPRAY**

|               |                  |         |     |
|---------------|------------------|---------|-----|
| Creation date | 18. October 2016 | Version | 2.0 |
| Revision date | 02. May 2018     |         |     |

|                 |  |
|-----------------|--|
| UVCB            | Substances of unknown or variable composition, complex reaction products or biological materials |
| VOC             | Volatile organic compounds   |
| vPvB            | Very Persistent and very Bioaccumulative   |
| Acute Tox.      | Acute toxicity   |
| Aerosol         | Flammable aerosol  |
| Aquatic Chronic | Hazardous to the aquatic environment   |
| Asp. Tox.       | Aspiration hazard  |
| Eye Dam.        | Serious eye damage   |
| Flam. Liq.      | Flammable liquid   |
| Skin Irrit.     | Skin irritation  |
| Skin Sens.      | Skin sensitization   |
| STOT SE         | Specific target organ toxicity - single exposure   |

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 2.0 replaces the SDS version from 18.10.2016. Changes were made in sections 2, 13, 15 and 16.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.